

SÓLAS

**TWENTY6 Slim-Line Built-In
DIRECT-VENT LOG SET KIT
PART: LGS-26BI**

INSTALLATION MANUAL

ONLY FOR USE ON SÓLAS MODEL: 26N-BICZ

SÓLAS BIRCH LOG SET KIT



WARNING

This log set kit shall be installed by a qualified service agency in accordance with the manufacturer's instructions and all applicable codes and requirements of the Authority Having Jurisdiction. If the information in these instructions is not followed exactly, a fire, explosion or production of carbon monoxide may result causing property damage, personal injury or loss of life. The qualified service agency is responsible for the proper installation of this kit. The installation is not proper and complete until the operation of the converted appliance is checked as specified in the manufacturer's instructions supplied with the kit.

NOT FOR USE WITH VENT-FREE OR OUTDOOR FIREPLACES

SÓLAS BIRCH LOG SET

KIT CONTENTS:

- (3) CERAMIC LOGS
- (2) CERAMIC ROCKS
- 13 oz. LAVA ROCK



INSTALLATION OF BIRCH LOG SET

STEP 1

Install the 3-rock cluster on the 2 pins located just right of the pilot. **(Figure 1)**



Figure 1

STEP 2

Install the single rock on the 2 pins located on the far left of the burner top. The log-locating tab on top of the rock should be toward the back of the burner. **(Figure 2)**




Figure 2

STEP 3

Install the center birch log by placing the left side of the log on the locating pin left of the pilot. The right side of the log will rest on top of the 3-rock cluster, rotate the log so it gently touches the rear enamel panel of the firebox. **(Figure 3)**



Figure 3

STEP 4

Evenly distribute the included 13oz of lava rock on the exposed burner top. Cover the burner top completely but do not compress or “pack” the lava rock tightly. Pay special attention to tight and hard to reach areas when placing the media on the burner. It is ok if small amounts of lava rock are lost over the edge of the burner. **(Figure 4)**



LOG SET INSTALLATION

STEP 5

Using the log-locating tab on the single rock on the left side of the burner, rest the small birch log on the rock and align with the leading edge of the burner as shown in photo. **(Figure 5)**



Figure 5

STEP 6

The Y-log should be located as shown, begin by referencing the left side of the log between the 3-rock cluster and the rear enamel panels as shown. The smallest branch of the “Y” log should align with the leading edge of the burner resting gently on top of the lava rock. **(Figure 6)**



Figure 6

Installation of the Birch Log Set is now complete, refer to the TWENTY6 Installation and Operation Manual for instructions on final assembly and lighting of the appliance.



NATIONAL
FIREPLACE
INSTITUTE



CERTIFIED

We recommend that our
gas hearth products be
installed and serviced by
professionals who are
certified in the U.S. by the
National Fireplace Institute®
(NFI) as NFI Gas Specialists.
www.NFICertified.org

RECORD YOUR PRODUCT INFORMATION

Model #: _____ Serial Number: _____

Date Purchased: _____ Date Installed: _____

THANK YOU FOR CHOOSING

SÓLAS

solasfires.com

PROUDLY DESIGNED
& BUILT IN THE

USA